



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/783,417

02/19/2004

Nadine Carozzi

045600/274146

6391

826

7590

08/07/2009

ALSTON & BIRD LLP

BANK OF AMERICA PLAZA

101 SOUTH TRYON STREET, SUITE 4000

CHARLOTTE, NC 28280-4000

EXAMINER

KUBELIK, ANNE R

ART UNIT

PAPER NUMBER

1638

MAIL DATE

DELIVERY MODE

08/07/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/783,417	<b>Applicant(s)</b> CAROZZI ET AL.	
	<b>Examiner</b> Anne R. Kubelik	<b>Art Unit</b> 1638	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 05 May 2008 and 17 March 2009.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-11, 19 and 22-29 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11, 19 and 22-29 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1-11, 19 and 22-29 are pending.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 112***

3. Claims 1-11, 19 and 22-26 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for nucleic acids encoding proteins with 95% identity to SEQ ID NO:2, host cells, plants, plant cells and seeds comprising them, and method of using them to make SEQ ID NO:2, does not reasonably provide enablement for nucleic acids encoding pesticidal protein with 90% identity to SEQ ID NO:2, nucleic acids with 95% or 90% identity to SEQ ID NO:1, host cells, plants, plant cells and seeds comprising them, and method of using them to make a pesticidal protein with 90% identity to SEQ ID NO:2 and a pesticidal protein encoded by a nucleic acid with 95% or 90% identity to SEQ ID NO:1. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention commensurate in scope with these claims.

The rejection is modified from the rejection set forth in the Office action mailed 5 February 2008, as applied to claims 1-11, 19 and 22-26. Applicant's arguments filed 5 May 2008 have been fully considered but they are not persuasive.

The claims are broadly drawn to nucleic acids encoding a pesticidal protein with 95% or 90% identity to SEQ ID NO:2, nucleic acids with 95% or 90% identity to SEQ ID NO:1, host cells, plants, plant cells and seeds comprising them, and method of using them to make a

Art Unit: 1638

pesticidal protein with 95% or 90% identity to SEQ ID NO:2 or encoded by a nucleic acid with 90% identity to SEQ ID NO:1.

The instant specification, however, only discusses sequencing of DNAs from non-publically available bacterial strain ATX13026 (examples 1-4), identification of a nucleic acid, SEQ ID NO:1, that encodes a protein AXMI-006, SEQ ID NO:2, with a low percent identity to delta endotoxins (examples 5-6), assay of the protein for pesticidal activity against *Heliothis virescens* (cotton budworm), *Spodoptera frugiperda* (fall army worm), and *Lygus lineolaris* (tarnished plant bug) (examples 7-11), and prophetic guidance for expression in plants (examples 12-14).

The instant specification fails to provide guidance for how to make the full scope of nucleic acids encoding pesticidal proteins with 90% identity to SEQ ID NO:2 and nucleic acids with 95% or 90% identity to SEQ ID NO:1.

Nucleic acids encoding proteins with 90% identity to the 735 amino acid long SEQ ID NO:2 would encode proteins with 73 amino acid substitutions. Nucleic acids encoding proteins with 95% identity to SEQ ID NO:2 would encode proteins with 36 amino acid substitutions.

Nucleic acids with 90% identity to a 2208 nucleotide long nucleic acid like that of SEQ ID NO:1 would have 220 nucleotide substitutions, and thus encompass those that encode proteins with 220 amino acid substitutions; these proteins would have 70% identity to SEQ ID NO:2. Nucleic acids with 95% identity to SEQ ID NO:1 would have 110 nucleotide substitutions, and thus encompass those that encode proteins with 110 amino acid substitutions.

The instant specification fails to provide sufficient guidance for which amino acids of SEQ ID NO:2 can be altered and to which other amino acids, and which amino acids must not be

Art Unit: 1638

changed, to maintain the activity of the encoded protein. The specification also fails to provide guidance for which amino acids can be deleted and which regions of the protein can tolerate insertions and still produce a functional protein.

The guidance in the specification with respect to making amino acids substitutions in AXMI-006 is as follows:

The specification teaches that there are generally 5 highly conserved regions among delta-endotoxins, and that these have a similar structure (pg 12, lines 14-25).

The specification teaches the 5 highly conserved regions among endotoxins in AXMI-006 (specification pg 4, lines 3-9); the regions encompass a total of 142 amino acids.

The specification, in the paragraph starting on pg 12, line 26, says:

Amino acid substitutions may be made in nonconserved regions that retain function. In general, such substitutions would not be made for conserved amino acid residues, or for amino acid residues residing within a conserved motif, where such residues are essential for protein activity. Examples of residues that are conserved and that may be essential for protein activity include, for example, residues that are identical between all proteins contained in the alignment of Figures 1A, B, and C. Examples of residues that are conserved but that may allow conservative amino acid substitutions and still retain activity include, for example, residues that have only conservative substitutions between all proteins contained in the alignment of Figures 1A, B, and C. However, one of skill in the art would understand that functional variants may have minor conserved or nonconserved alterations in the conserved residues.

Conservative substitutions are defined on pg 12, lines 7-13. A search of Fig. 1, shows that there are 9 positions that are identical among all the proteins in the Figure, and 17 positions that have only conservative substitutions among all proteins.

The specification on pg 12, lines 1-5 suggests that substitutions be made at amino acids that are not essential for biological activity, but does not teach any such amino acids.

Thus, the structural guidance in the specification relies on function.

The specification, on pg 11, lines 12-17, states:

Variant proteins encompassed by the present invention are biologically active, that is they continue to possess the desired biological activity of the native protein, that is, retaining pesticidal activity. By "retains activity" is

Art Unit: 1638

intended that the variant will have at least about 30%, preferably at least about 50%, more preferably at least about 70%, even more preferably at least about 80% of the pesticidal activity of the native protein.

Further, the claims require that the encoded protein have pesticidal activity.

Pests are described in the specification as including, but “not limited to, insects, fungi, bacteria, nematodes, mites, ticks, and the like”, with particular interest in insect pests “selected from the orders Coleoptera, Diptera, Hymenoptera, Lepidoptera, Mallophaga, Homoptera, Hemiptera, Orthoptera, Thysanoptera, Dermaptera, Isoptera, Anoplura, Siphonaptera, Trichoptera, *etc.*” (pg 30, lines 11-15). Thus, “pests” are not limited to plant pests or to insects.

Thus, there would appear be some conflict between the claims’ recitation of “pesticidal activity”, due to the specification’s very broad definition of “pests”, and the specification’s indication that variant proteins should have the same pesticidal activity as the original protein.

The knowledge in the art is as follows:

No *Bacillus Cry* endotoxin has been identified to date that has toxicity all of pests listed in the specifictaion, and none has toxicity to fungi or bacteria or many of the orders listed (see, for example, Bravo et al, 2005, Comprehensive Molecular Insect Science 6:175-205, paragraph spanning pg 176-177). Additionally, many Cry proteins have toxicity only to insects that are not pests for plants, for example, mosquitoes (Bravo et al, pg 177, right column, paragraph 1). Lastly, each *cry* protein only has activity against one or few insect species (de Maagd et al, 1999, Appl. Environ. Microbiol. 65:4369-4374, see pg 4369, column 1, paragraph 1).

Much is known about the structure of Cry proteins, including a crystal structure shared among proteins with little amino acid sequence similarity (Bravo et al, pg 178, right column, paragraph 2).

However, making amino acid substitutions in *cry* proteins is unpredictable.

Art Unit: 1638

Aaronson et al (2001, FEMS Microbiol. Lett. 195:1-8) teach that there are extensive functional interactions between the three domains of Cry proteins and that more than one domain is involved in toxin specificity and binding (paragraph spanning the columns on pg 7). de Maagd et al (2001, Trends Genet. 17:193-199) teach that domains II and III are involved in insect specificity (pg 194, right column, paragraph 3) and that domains I and II have coevolved towards certain specificities (pg 196, left column, paragraph 2, and pg 197, left column, paragraph 4). Regions involved in insect toxicity in one Cry protein are not involved in others (Bravo et al, pg 187, right column, paragraph 1).

Even conservative substitutions in nonconserved regions can have unexpected effects on protein function (de Maagd et al, 1999, Figs 2 and 3). A single amino acid substitution in a *cry* protein may alter its insecticidal specificity, and toxicity must be determined empirically (Tounsi et al, 2003, J. Appl. Microbiol. 95:23-28; see pg 27, column 2, paragraph 2). De Maagd et al (2001) concludes that the determination of insect specificity of endotoxins is still not understood (pg 198, right column, paragraph 2).

Further, even binary proteins, which require interaction with another Cry protein for function, can have the three-domain structure (Jones et al, FASEB J. 2007 21:4112-4120, see paragraph spanning pg 4117-4118). Thus, while much is known about the structure of Cry proteins, relatively little is known about the structures responsible for function.

Point mutations and substitutions of a few amino acids have been made in Cry proteins; however, no one has substituted up to 220 amino acids of a Cry protein, as encompassed the claimed nucleic acids.

Art Unit: 1638

From the guidance in the specification, it would appear that the vast majority of the amino acids in SEQ ID NO:2 could be substituted. However, the teachings discussed above indicate that making 220 amino acid substitutions in a *cry* protein would be unpredictable, if it is even possible.

From the guidance in the specification, it would appear that the vast majority of the amino acids in SEQ ID NO:3 and 5 could be substituted. However, the teachings discussed above indicate that making 214 amino acid substitutions in a *cry* protein would be unpredictable, if it is even possible.

Guo et al (2004, Proc. Natl. Acad. Sci. USA 101: 9205-9210) teach that while proteins are fairly tolerant to mutations resulting in single amino acid changes, increasing the number of substitutions additively increases the probability that the protein will be inactivated (pg 9209, right column, paragraph 2). Thus, making and analyzing proteins that have up to 220 random amino acid substitutions to find those that have pesticidal activity would require undue experimentation.

Further, one of skill in the art could not without undue experimentation make a protein with 220 amino acid substitutions and with *H. virescens*, *S. frugiperda* and *L. lineolaris*.

AXMI-006 has the most similarity to *cry* proteins with toxicity to mosquito (*cry4Aa*, *cry10Aa* and *cry19Ba*; see Ibarra et al, 2003, Appl. Environ. Microbiol. 69:5269-5274; abstract and Table 2). AXMI-006, however, is toxic to the Lepidopterans *H. virescens* and *S. frugiperda* and the unrelated Euhemipteran *L. lineolaris*. Thus, one of skill in the art could not use the limited sequence similarity to *cry4Aa*, *cry10Aa* and *cry19Ba* as guides for making a *H.*



Art Unit: 1638

*virescens*, *S. frugiperda* and *L. lineolaris* toxic protein with 220 amino acid substitutions relative to SEQ ID NO:2.

Given the novelty of AXMI-006 and the unpredictability making in amino acid substitutions in *cry* proteins, of one of skill in the art could make a protein with up to 220 amino acid substitutions relative to SEQ ID NO:2, the protein would likely have a very different insect toxicity than AXMI-006. The specification does not teach the insect toxicity of such proteins. Many plants transformed with a nucleic acid encoding a protein that has pesticidal activity as defined in the specification would not be resistant to insects that are pests to plants and/or would not have the structure of a *Cry* protein. Therefore, one would not know how to use nucleic acids encoding proteins with up to 220 amino acid substitutions relative to SEQ ID NO:2.

Thus, extensive teachings are required for making nucleic acids encoding *Cry* proteins with up to 220 amino acid substitutions relative to SEQ ID NO:2, as encompassed by the claimed nucleic acids. These teachings are not provided for by the specification. The specification also fails to overcome the unpredictability of making large numbers of amino acid substitutions in *Cry* proteins by providing no working examples of proteins with up to 220 amino acid substitutions relative to AXMI-006.

As the specification does not overcome the unpredictability discussed above by describing the transformation of any plant with a pesticidal protein with 95% or 90% identity to SEQ ID NO:2, nucleic acids with 95% or 90% identity to SEQ ID NO:1, undue trial and error experimentation would be required to screen through the myriad of nucleic acids encompassed by the claims and plants transformed therewith, to identify those with insect resistance, if such plants are even obtainable.

Art Unit: 1638

Given the claim breath, unpredictability in the art, undue experimentation, and lack of guidance in the specification as discussed above, the instant invention is not enabled throughout the full scope of the claims.

Applicant urges that in *Kubin*, nucleic acids encoding proteins with 80% identity to a sequence identifier were considered enabled in view of the *Wands* factors; the instant claims are drawn to nucleic acids with 90% or 95% identity and as in *Kubin*, the specification teaches show to make variants and calculate the percent identity and assay for activity (response pg 7-8).

This is not found persuasive because nucleic acids with 90% identity to SEQ ID NO:1 encompass those that encode proteins with 70% identity to SEQ ID NO:2, *i.e.*, that have 220 amino acid substitutions in SEQ ID NO:2. The art indicates that even though much is known about Cry protein structure, not enough is known about the structure/function relationship to predict a protein's toxicity. The specification does not teach how to make these proteins.

Applicant urges that the knowledge in the art and the specification provide guidance for make and use of the claimed nucleic acids (response pg 8).

This is not found persuasive. There are extensive functional interactions between the three domains of Cry proteins and that more than one domain is involved in toxin specificity and binding (Aaronson et al, paragraph spanning the columns on pg 7). Domains I, II and III are involved in insect specificity (de Maagd et al (2001, pg 194, right column, paragraph 3; pg 196, left column, paragraph 2, and pg 197, left column, paragraph 4). Most importantly, regions involved in insect toxicity in one Cry protein are not involved in others (Bravo et al, pg 187, right column, paragraph 1).

Applicant urges that in the specification the term “pesticidal activity” is not limited to the species against which the parent sequence has activity, but to the level of activity (response pg 8).

This is not found persuasive because a comparison of the level of pesticidal activity requires that the activity be towards the same pest.

Applicant urges that Bravo teaches the role of domain II in receptor binding and recognition, and Jones was able to align Cry49A with other binary proteins (response pg 8-9).

This is not found persuasive. Just because Jones was able to identify Cry49A as a binary protein by alignment does not mean one was able to deduce to which pests Cry49A would be toxic to by alignment. More than Domain II is involved in receptor binding; further Bravo teaches that regions involved in insect toxicity in one Cry protein are not involved in others (pg 187, right column, paragraph 1).

Applicant urges that although de Maagd 1999 and 2001, Aaronson, Angsuthanasombat, , Tounsi, and Guo all point to some unpredictability, the majority of the art teaches structure function relationships for this class of proteins (response pg 9).

This is not found persuasive because these references teach that interactions between amino acids in Cry proteins is much more complex than can be predicted from guidance suggesting only making conservative substitutions or limiting substitutions to loops.

Further, AXMI-006 (SEQ ID NO:2). The instant Table 1 shows that AXMI-006 has 25% identity to cry4Aa, 25% identity to cry10Aa, and 24% identity to cry19Aa. AXMI-006, however, is toxic to the Lepidopterans *H. virescens* and *S. frugiperda* and the unrelated Euhemipteran *L. lineolaris*. Comparison to cry4Aa, cry10Aa and cry19Aa would not let one

Art Unit: 1638

know which amino acids are critical for toxicity toward *H. virescens*, *S. frugiperda*, and *L. lineolaris*, the function of AXMI-006, as cry4Aa, cry10Aa and cry19Aa are all mosquito toxins. Further, limiting substitutions only to loops would not allow one to make 220 amino acid substitutions, as there are just not that many amino acids in the loops.

4. Claims 1-11, 19 and 22-29 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter that was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The rejection is modified from the rejection set forth in the Office action mailed 5 February 2008, as applied to claims 1-11, 19 and 22-26. Applicant's arguments filed 5 May 2008 have been fully considered but they are not persuasive.

Nucleic acids encoding a pesticidal protein with 95% or 90% identity to SEQ ID NO:2 and nucleic acids with 95% or 90% identity to SEQ ID NO:1, wherein the nucleic acid encodes a pesticidal protein are essential to the operation of the claimed invention. As nucleic acids encoding proteins with 95% or 90% identity to SEQ ID NO:2 would encode proteins with 36 or 73 amino acid substitutions, respectively, and nucleic acids with 95% or 90% identity to SEQ ID NO:2 encompass those that encode proteins with 110 or 220 amino acid substitutions, respectively, the claims are drawn to a broad genus of nucleic acids. The level of skill and knowledge in the art at the time of filing was such that no other proteins within the scope of the claims were known

Art Unit: 1638

The specification, on pg 11, lines 12-17, states:

Variant proteins encompassed by the present invention are biologically active, that is they continue to possess the desired biological activity of the native protein, that is, retaining pesticidal activity. By "retains activity" is intended that the variant will have at least about 30%, preferably at least about 50%, more preferably at least about 70%, even more preferably at least about 80% of the pesticidal activity of the native protein.

Further, the claims require that the encoded protein have pesticidal activity.

Pests are described in the specification as including, but "not limited to, insects, fungi, bacteria, nematodes, mites, ticks, and the like", with particular interest in insect pests "selected from the orders Coleoptera, Diptera, Hymenoptera, Lepidoptera, Mallophaga, Homoptera, Hemiptera, Orthoptera, Thysanoptera, Dermaptera, Isoptera, Anoplura, Siphonaptera, Trichoptera, *etc.*" (pg 30, lines 11-15). Thus, "pests" are not limited to plant pests or to insects.

Thus, there would appear be some conflict between the claims' recitation of "pesticidal activity", due to the specification's very broad definition of "pests", and the specification's indication that variant proteins should have the same pesticidal activity as the original protein.

At the time of filing it was known that each *cry* protein only has activity against one or few insect species (de Maagd et al, 1999, Appl. Environ. Microbiol. 65:4369-4374, see pg 4369, column 1, paragraph 1).

The specification describes no relevant characteristics or motifs for the claimed nucleic acids or the proteins they encode other than identity to SEQ ID NO:1-2 or structures common to all three-domain Cry proteins.

Aaronson et al (2001, FEMS Microbiol. Lett. 195:1-8) teach that there are extensive functional interactions between the three domains of Cry proteins and that more than one domain is involved in toxin specificity and binding (paragraph spanning the columns on pg 7). de Maagd et al (2001, Trends Genet. 17:193-199) teach that domains II and III are involved in

Art Unit: 1638

insect specificity (pg 194, right column, paragraph 3) and that domains I and II have coevolved towards certain specificities (pg 196, left column, paragraph 2, and pg 197, left column, paragraph 4). Regions involved in insect toxicity in one Cry protein are not involved in others (Bravo et al, pg 187, right column, paragraph 1). de Maagd et al (2001) concludes that the determination of insect specificity of endotoxins is still not understood (pg 198, right column, paragraph 2).

Furthermore, the specification does not describe the structures or amino acids required for the biological activity, *H. virescens*, *S. frugiperda*, and *L. lineolaris* toxicity, of SEQ ID NO:2, nor does it describe the structural features that distinguish pesticidal protein-encoding nucleic acids with 95% or 90% identity to SEQ ID NO:1 from other nucleic acids with 95% or 90% identity to SEQ ID NO:1 or pesticidal proteins with 95% or 90% identity to SEQ ID NO:2 from other proteins with 95% or 90% identity to SEQ ID NO:2.

The only species reduced to practice in the specification is SEQ ID NO:1, which encodes SEQ ID NO:2. Since the disclosure fails to describe the common attributes that identify members of the genus, and because the genus is highly variant, SEQ ID NO:1 alone is insufficient to describe the claimed genus.

Hence, Applicant has not, in fact, described nucleic acids encoding a pesticidal protein with 95% or 90% identity to SEQ ID NO:2 and nucleic acids with 95% or 90% identity to SEQ ID NO:1, wherein the nucleic acid encodes a pesticidal protein, within the full scope of the claims, and the specification fails to provide an adequate written description of the claimed invention.

Therefore, given the lack of written description in the specification with regard to the structural and functional characteristics of the claimed compositions, it is not clear that Applicant was in possession of the claimed genus at the time this application was filed.

Applicant urges that the instant claims meet the requirements for written description set forth by the Federal Circuit; a given sequence identity is recited, methods for determining the percent identity are known, variants are disclosed, numerous Cry sequences were known in the art, and much was known about Cry protein structure (response pg 11).

This is not found persuasive because the structures associated with the function, toxicity toward *H. virescens*, *S. frugiperda*, and *L. lineolaris*, are not known in the art or described in the specification.

Applicant urges that it was known that Cry proteins have three domains, a helix bundle, a three-sheet domain and a beta sandwich motif, citing Li, providing very specific and defined structural parameters to the claimed sequences; four of these domains are in the instant sequence and other teachings in the art describe domain II residues important for toxicity (response pg 11-12).

This is not found persuasive. These general characteristics are true of every Cry protein, including those with toxicity to lepidopterans, coleopterans, nematodes and mosquitoes and those native proteins that do not appear to have any toxicity at all (*e.g.*, cry25Aa). These basic structures are merely characteristics of Cry proteins. They are not specifically associated with the disclosed function, *H. virescens*, *S. frugiperda*, and *L. lineolaris* toxicity. de Maagd et al (2001, Trends Genet. 17:193-199) teach that domains II and III are involved in insect specificity

Art Unit: 1638

(pg 194, right column, paragraph 3) and that domains I and II have coevolved towards certain specificities (pg 196, left column, paragraph 2, and pg 197, left column, paragraph 4). de Maagd et al, 1999, teach that the crystal structure of Cry1C only allows for limited prediction of the exact structure of Cry1Aa (pg 4373, right column, paragraph 4); thus, Li's teaching is insufficient for describing the structure/function relationship of the claimed nucleic acids. More than the crystal structure and conserved regions are required for Cry protein function. Additionally, it is noted that the claims are not limited to nucleic acids encoding Cry proteins.

Applicant urges individual support for each species is not required; they have provided exemplary nucleotide and amino acid sequences and variants and fragments thereof, and numerous Cry proteins were known in the art, allowing one to envision that claimed invention (response pg 12).

This is not found persuasive because those of skill in the art say that the relationship between structure and function is not well-known in Cry proteins. Aaronson et al, de Maagd et al, 1999, and de Maagd et al, 2001, make it clear that the correlation between that function and a structure is not sufficiently known in cry proteins as a whole, and the specification does not describe the motifs and amino acids required for SEQ ID NO:2 biological activity. The specification does not make up for this deficit.

Applicant urges that the recitation of a predictable structure is sufficient to satisfy the written description requirement (response pg 12-13).

This is not found persuasive because that is only true if no functional limitations are in the claim. The functional limitation of lepidopteran or lygus pesticidal activity requires a description of the structures that confer that activity.



Applicant urges the claims recite functional characteristics that distinguish the claimed sequences (response pg 13).

This is not found persuasive. The recitation of the function does not describe the structures responsible for it. The relationship between structure and the specific pesticidal function was not described in the specification.

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a), which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 4-7, 24 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-Dov et al (1996, Appl. Environ. Microbiol., 62:3140-3145) in view of Carlton et al (1985, Mol. Biol. Microb. Differ., Proc. Intl. Spore Conf., 9<sup>th</sup>, Meeting date 1984, pages 246-252; Ed. Hoch et al, Am.Soc. Microbiol., Washington, DC) and taken with the evidence of Applicant's response to the Request for Information under 37 CFR 1.105.

Applicant's response to the Request for Information under 37 CFR 1.105, filed 17 March 2009, indicate that the bacterial strain from which SEQ ID NO:1-4 were isolated is HD536, and available from the USDA.

The claims are drawn to a nucleic acid encoding a toxin comprising SEQ ID NO:2.

Ben-Dov et al teach cloning of delta-endotoxin genes from a *Bacillus thuringiensis* plasmid (pg 3141, left column, to pg 3143, right column, paragraph 3). The genes were cloned

Art Unit: 1638

in vectors that encode a selectable-marker protein heterologous to the endotoxin, and these clones were grown in an *E. coli* host cell (pg 3140, right column, paragraph 2). Ben-Dov et al do not teach a nucleic acid encoding SEQ ID NO:2.

Carlton et al teach that strain HD536 has a 68 MDa plasmid implicated in toxin production (Table 1).

At the time the invention was made, it would have been obvious to one of ordinary skill in the art to modify the method of cloning delta-endotoxin genes from *B. thuringiensis* plasmids as taught by Ben-Dov et al, to clone delta-endotoxin genes from strain HD536 described in Carlton et al. One of ordinary skill in the art would have been motivated to do so because an increased repertoire of delta-endotoxins would be desirable for increasing toxicity spectra and for overcoming pest resistance to existing endotoxins. It is obvious to use the 68 MDa plasmid from HD536 because HD536 was known in the art as having a toxin-encoding plasmid (Carlton et al, Table 1). In cloning the toxins from the 68 MDa plasmid from HD536 one of skill in the art would necessarily isolate a nucleic acid encoding SEQ ID NO:2. It would be obvious to one of skill in the art to culture the host cell comprising the plasmid in conditions under which the nucleic acid encoding the toxins is expressed to study the toxicity of the protein, particularly for toxicity to lepidopteran plant pests.

7. Claims 2-3, 8-11, 19, 22-23, 25-26 and 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-Dov et al in view of Carlton et al as applied to claims 1, 4-7, 24 and 27 above, and further in view of Koziel et al (1997, US Patent 5,625,136).

The claims are drawn to plants transformed with a nucleic acid encoding a toxin comprising SEQ ID NO:2, including plant optimized nucleic acids.

Art Unit: 1638

The teachings of Ben-Dov et al in view of Carlton et al are discussed above. Ben-Dov et al in view of Carlton et al do not teach plants and seeds transformed with the nucleic acid.

Koziel et al teach construction of a Cry endotoxin coding sequence that is designed for expression in a plant; this sequence has increased GC content relative to the native coding sequence (column 7, lines 19-56; column 9, lines 50-56). Koziel et al also teach expression of the modified Cry endotoxin coding sequence in maize cells from a vector that also encodes phosphoenolpyruvate carboxylase (column 59, line 40, to column 63, line 50), as well as maize plants and seeds transformed with the modified Cry endotoxin coding sequence (claims 4-25).

At the time the invention was made, it would have been obvious to one of ordinary skill in the art to transform the nucleic acid taught by Ben-Dov et al in view of Carlton et al into plants, including maize, as described in Koziel et al. One of ordinary skill in the art would have been motivated to do so because the resultant plants will be more resistant to insect pests, and the farmer thus less likely to suffer economic loss because of them.

### ***Conclusion***

8. No claim is allowed.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anne R. Kubelik, Ph.D., whose telephone number is (571) 272-0801. The examiner can normally be reached Monday through Friday, 8:30 am - 5:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anne Marie Grunberg, can be reached at (571) 272-0975.

The central fax number for official correspondence is (571) 273-8300.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the

Art Unit: 1638

problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

August 7, 2009

/Anne R Kubelik/

Primary Examiner, Art Unit 1638